



# Schindler 3000 (EU)

Stylish, comfortable and easy



With the  
**Schindler**  
3000



enjoy an easy,  
smooth journey

With distinctive designs and **swiss-engineered components**, the Schindler 3000 is a perfect – and practical – solution for residential buildings, hotels and small commercial projects. Take advantage of leading energy-efficient technologies and digital services, all in an economical package. Give your passengers a **smooth, safe, and comfortable ride.**



# Schindler 3000

## Stylish, comfortable and easy

Schindler 3000 offers easy and tailored options to make it the perfect fit for low-rise buildings. With a maximum travel up to 75 meters, speeds up to 1.6 m/s, and a capacity of up to 1150 kilograms, it has been specifically and economically designed to meet the demands of hotels and residential buildings.

Schindler 3000 is designed, engineered and rigorously tested to ensure smooth, quiet and efficient operation throughout your elevator's long life cycle.

### Key figures

<b>Capacity</b>	320-1150 kg
<b>Travel height</b>	Up to 75 m
<b>Stops</b>	Max 25 stops
<b>Speed</b>	1.0–1.6 m/s
<b>Machine room</b>	Machine-room-less
<b>Drive system</b>	Frequency controlled, eco-friendly regenerative drive technology
<b>Group size</b>	Up to 8 cars
<b>Entrances</b>	One- or two-sided
<b>Interior</b>	3 interior design lines, fresh wall colors and wide range of fixtures, and bare car option
<b>Energy efficiency classification</b>	Class A, according to ISO 25745-2*

\*The classification always refers to a specific customer configuration. Usage pattern, load capacity, customer specific options and site conditions influence the final rating.



### Designed for comfort

Engineered to Swiss standards for 24|7 operation and smooth ride comfort.

### Accessibility for all

EN81-70 options help to enable a comfortable and simple journey for all users.

### Engineered for value

Options and components have been selected and tailored to meet the demands of low- to mid-rise buildings.

### Excellent ecological performance

Regenerative drive technology helps reduce travel energy by up to 30%, compared to conventional technology.

# Elevating sustainability

## Excellent ecological performance

We're committed to improving the environmental impact of our products and services continuously, across their entire life cycle. The Schindler 3000 elevator features compact, lightweight, and durable components that optimize material usage and energy-efficiency during operation.

### Class A energy-efficiency rating

Improving energy efficiency is essential in order to reduce the environmental impact of elevators and the buildings they serve. Regenerative drive, LED lighting and stand-by mode while parked, are standard eco-friendly features in all Schindler 3000 elevators, aiming to achieve the highest energy-efficiency rating class A, according to ISO 25745-2\*. A Schindler 3000 is enabled for remote connectivity to improve service efficiency and reduce unnecessary trips to the installation.

### Environmental Product Declarations (EPD)

To provide an insight into the ecological performance of our elevators throughout their life, we provide Environmental Product Declarations (EPD). We've registered EPDs at the "International EPD® System" for all major elevator product lines. This is an important step in the assessment of the environmental performance of our products and underlines our continuous efforts toward sustainable solutions.



Energy-efficiency rating  
class A, according to  
ISO 25745-2\*



\*The classification always refers to a specific customer configuration.  
Usage pattern, load capacity, customer specific options and site  
conditions influence the final rating.

# Tailored for you

## Less space, more capacity

Schindler 3000 has outstanding options and features to meet the ecological and economical demands of residential, hotel, and small commercial projects. Less space for components, more room for you to use profitably.

### 1 Machine-room-less design

All main drive, traction and control equipment sits in the shaft, leaving architects and designers free to use the extra space for more productive purposes. And thanks to the compact gearless machine, a larger car can be fitted into a standard shaft space, reducing headroom space and pit depth.

### 2 Smaller motor and traction sheave

Schindler's Suspension Traction Media (STM) system guarantees a quieter, smoother ride and does not require any oil or lubricant. STM also saves shaft space because of the smaller motor and traction sheave – 70% smaller than traditional systems. For passengers that means a better ride, while building owners will appreciate the increased reliability and efficiency.

Permanent magnet technology offers higher energy efficiency and a stable start without high peak current, quickly enables the elevator to reach a low energy consumption state.

### 3 Built-in, digitally-enabled controller

Schindler 3000's controller is built directly into a standard door frame at the top landing. This solution simplifies elevator installation, provides easy access, and saves space.

This digitally-enabled controller can support remote monitoring and maintenance of the elevator after it is turned over for service.

### 4 More usable building space

Less space for components, more usable building space and more room for passengers. Schindler 3000's innovative platform ensures that a standard-sized shaft can carry a wider car with bigger load capacity and allows for a reduced pit.

### 5 Energy efficient technology

A regenerative inverter helps you to cut operational costs by reducing energy consumption. While conventional inverters dissipate the brake energy on brake resistors – thus wasting valuable resources and heating the machine room – Schindler regenerative inverters return brake energy to the building's electrical devices or into the grid. This minimizes energy consumption and reduces the cooling requirement in the machine room by up to 50%\*.

\*Depending on the configuration of your final elevator.





# The sound of moderate rainfall

Thanks to our high-quality technology and installation methodologies, Schindler elevators generate minimal noise. Most of the noise created by our elevators does not exceed 50 – 60 dB (A).\*

\*For the evaluation methodology, we comply with ISO 18738 standards. However, many factors influence the amount of noise and vibration generated by an elevator. See our Ride Quality brochure to learn more.



Define your style  
with our

# design lines




The Schindler 3000 offers fresh colors, robust flooring, and unique ceiling designs. Combine colors, materials, lighting, mirrors, handrails, and fixtures to achieve the ambiance that fits your building. Bring your style to life with the different design lines.

# Navona






























## Functional and durable

Clarity and comfort in your car with this robust design line. Fresh colors, durable accessories, and the option of several different floors make Navona an excellent choice for residential applications. Elegant stainless steel options are also available for rear and side walls.



### Navona

Lighting: Line  
Ceiling: Painted Polar White  
Walls: Laminate Zurich White  
Car operating panel: Linea 100 Half Height  
Surface Mounted  
Skirting: Flush Aluminum Anodized  
Floor: Rubber Speckled Black

 Ceiling*	 Painted White Aluminum	 Stainless Steel Lucerne Brushed (441)	 Painted Polar White
 Lighting	 Line	 Round Spots	
 Walls	 Laminate Cadiz Blue	 Laminate Athens Grey	 Laminate Zurich White
 Car door & fronts	 Painted White Aluminum	 Stainless Steel Lucerne Brushed (304 or 441)	 Stainless Steel Lausanne Linen (441)
 Landing doors	 Painted Window Grey	 Stainless Steel Lucerne Brushed (441 or 304)	 Stainless Steel Lausanne Linen (441 or 304)
 Skirting	 Flush	 Aluminium Anodized	 Stainless Steel Lucerne Brushed (304)
 Floor	 Rubber Speckled Black	 Rubber Speckled Light Grey	 Artificial Granite Black
	 Artificial Granite Grey	 Bare	

\*Ceiling panel design dependent on car size

**Note:** Specifications, options and colors are subject to change. All cars and options illustrated in this brochure are representative only. The samples shown may vary from the original in color and material.

# Times Square

## Modern and versatile

Determine your contemporary look. Choose from warm or cool colors to create a fresh look or combine the options to enhance contrast for more depth. Select glass doors and walls for transparency. Use a bare car option to create your style and taste. Times Square adds distinctive features to any public, commercial or residential building.



### Times Square

Lighting: Round Spots  
Ceiling: Stainless Steel Lucerne Brushed  
Walls: Laminate Suez Grey  
Car operating panel: Linea 100 Half Height Surface Mounted  
Skirting: Protruding Stainless Steel Lucerne Brushed  
Floor: Rubber Speckled Light Grey



### Ceiling\*

Painted Polar White	Painted White Aluminum
Stainless Steel Lucerne Brushed (441)	



### Lighting

Line	Round Spots	Bracket	Bare Ceiling
------	-------------	---------	--------------



### Walls

Includes all Navona colors and materials, plus:

Laminate Capri Lemon	Laminate Bologna Orange	Laminate Catania Light Grey	Laminate Glossy Santorini White
Laminate Shadow Grey	Laminate Suez Grey		



### Car door & fronts

Painted White Aluminum	Stainless Steel Lucerne Brushed (304 or 441)	Stainless Steel Lausanne Linen (441)
------------------------	--	--------------------------------------



### Landing doors

Painted Polar White	Painted Window Grey	Stainless Steel Lucerne Brushed (441 or 304)	Stainless Steel Lausanne Linen (441 or 304)
---------------------	---------------------	--	---



### Skirting

Protruding	Flush
Aluminum Anodized	Stainless Steel Lucerne Brushed (304)



### Floor

Rubber Speckled Light Grey	Rubber Speckled Anthracite	Rubber Speckled Black
Artificial Granite Grey	Artificial Granite Black	Bare


\*Ceiling panel design dependent on car size

**Note:** Specifications, options and colors are subject to change. All cars and options illustrated in this brochure are representative only. The samples shown may vary from the original in color and material.

# Park Avenue

## Sophisticated and elegant

A touch of class. Wooden and textured laminates or back-painted glass walls for a rich, contemporary mode. Or a luxury feel with stainless steel in seven different finishes or decorative glass. Matched lighting completes Park Avenue's elegance.



### Park Avenue


Lighting: Indirect  
Ceiling: Stainless Steel Lugano Matt  
Walls: Laminate Wood Portland Dark  
Car operating panel: Linea 100 Hlaf Height Surface Mounted  
Skirting: Flush Stainless Steel Lucerne Brushed  
Floor: Rubber Speckled Black






### Ceiling\*

Includes all Times Square options, plus:



### Lighting

Includes all Navona and Times Square options, plus:




### Walls

Includes all Navona and Times Square colors and materials, plus:




### Car door & fronts




### Glass door frame options



### Landing doors



### Skirting



### Floor

Includes all Navona and Times Square options, plus:



\*Ceiling panel design dependent on car size

**Note:** Specifications, options and colors are subject to change. All cars and options illustrated in this brochure are representative only. The samples shown may vary from the original in color and material.

# Mirrors

## Ensuring optimal appearance

Mirrors heighten the sense of space, depth, and comfort in elevators – and provide a vital service for passengers. Your elevator can be fitted with a full-height or half-height safety-glass mirror on the side or rear wall of the car.

Side Wall



Half height centered



Full height centered

Rear Wall



Half height centered



Full height centered




# Handrails

## A range of shapes and finishes

Handrails convey a feeling of security. Schindler stainless steel handrails are designed to blend with car interiors, shapes and textures, and can be mounted to the side and rear walls. Available in curved, straight, straight with curved ends, and revolving layouts.



Straight with curved ends  
Stainless Steel Lucerne Brushed




Curved  
Painted White Aluminum




### Customize your handrails

Handrails convey a feeling of security. Our handrails are designed to blend with car interiors, shapes and textures.




The handrails can be mounted in different combinations of side and rear walls, either only one handrail piece on the rear or side walls, two handrail pieces on the side walls or handrails on three walls. They can be connected straight or revolving.


Choose the handrail shape you prefer:




Straight, straight with curved ends, or curved.



01



02



03

- 01 Stainless Steel Montreux Mirror
- 02 Stainless Steel Lucerne Brushed
- 03 Painted White Aluminum (only available with the curved handrail)

# 2

fixture  
models



From **simple to digitally-enabled**, Schindler offers a fixture to complement the design of your elevator. With sleek finishes and flexible options, our fixtures ensure the **comfort and accessibility for all**.

01



**Integrated white glass display**  
with large, easily readable red LED  
dot matrix

02



**Emergency light**

**Emergency call button**

**Sleek design.** Stylish and  
functional stainless steel

**Note:** Surface Mounting offered as standard


# Fixtures

## Linea 100

Linea 100 offers functional surface-mounted design in stainless steel. The integrated white glass display comes with a large, easily readable red LED dot matrix floor indicator. Push buttons have clear red illumination when a call is recognized.

- 01 Full height car operating panel, limited availability depending on configuration
- 02 Half height car operating panel
- 03 Half height car operating panel (EN:81-70)
- 04a Landing indicator panel with direction
- 04b Landing indicator panel with direction & position
- 05 Landing operating panels
- 06 Key switch box car operating panel
- 07 Name/information plate
- 08 Horizontal car operating panel (EN:81-70)

### Landing arrangements



Choose your optimal landing arrangements for simple and multiplex installations, surface or wall mounting.



03



04a



04b



05



06



07



08

**Note:** Surface Mounting offered as standard

**Dot matrix display** with large, easily readable red LED



**Resistant glass panel,** stylish design

21 22 23

18 19 20

15 16 17

12 13 14

9 10 11

6 7 8

3 4 5

0 1 2

-3 -2 -1

⌘ ⚙ ⏪

**Touch-sensitive user interface**




# Fixtures

## Linea 120

The convenience of our typical user interface converted to a touch version. The stylish design is in resistant glass with light indication to signal all functions, and dot matrix displays with large, easily readable red LEDs.

01	Car operating panel
02	Car operating panel with key switch
03a	Landing indicator panel with direction
03b	Landing indicator panel with direction & position
04	Key switch
05	Landing operating panels
06	Name / information plate

Landing arrangements



Choose your optimal landing arrangements for simplex and multiplex installations, surface or wall mounting.



02



03a



03b



04



05



06

**Note:**Surface Mounting offered as standard



# Installation and service excellence

## Working with you every step of the way



### Transparent fulfillment process

For more than a century, we've have focused on supporting our customers across all stages of a project. From design and installation, through to service and modernization, our professionals are there for you, at all times. We partner with you to find the best mobility solution for your facility.

We will consult with you prior to the offer and throughout the manufacturing and installation process to address any unforeseen challenges. A detailed inspection will be performed before we hand over the elevator to verify that the unit meets our high quality standards.

Our aim is to ensure the Schindler 3000 delivered and installed, perfectly fits your needs.

### A new era of service for elevators

With a new Schindler 3000, your equipment becomes easier to service and troubleshoot thanks to the latest digital technologies. And with more than 40,000 experts around the world, we strive to ensure every Schindler customer enjoys industry-leading uptime with minimal disruption.

# Schindler Middle East and North Africa

For more information, please contact your local office



## Bahrain

Jalal Schindler Lifts & Escalators Co.  
W.L.L.  
P.O. Box 5963, Manama  
Tel. +973 17 714 242  
Fax +973 17 717 191  
Email: info.bh@schindler.com

## Egypt

Schindler Ltd.  
1 Aly Rashed St., Star Capital 1, First Floor,  
City Stars Complex, Heliopolis, Cairo,  
Egypt  
Tel. +2 02 16 808  
Tel. +2 02 248 01 939-42  
Fax +2 02 248 01 998  
Email: info.eg@schindler.com

## Kuwait

Mass Tech for Elevators and Escalators  
P.O. Box 5079, Block 9, Salmiya, Kuwait  
Tel. +965 9227 1000  
Tel. +965 9227 2000  
Fax +965 2574 7002  
Email: info@masskw.com

## Iraq & Jordan

Schindler for Elevators and Escalators  
L.L.C  
Ruby 2 Building, Umm Al Sheif, Sheikh  
Zayed Road, P.O. Box 115117, Dubai  
Tel. +971 4 376 0000  
Fax +971 4 380 5502  
Email: export.ae@schindler.com

## Lebanon

Schindler Lebanon S.A.L.  
3rd Floor, Centre Hage,  
Main Internal Street, Antelias, Metn  
Tel. +961 4 417 750  
Fax +961 4 413 750  
Email: info.lb@schindler.com

## Libya

Altaghia Alhadetha Co.  
P.O. Box 4184, Benghazi  
Tel. +218 61 2236332  
Fax +218 61 2224642  
Email: info@altagnia.com

## Sultanate of Oman

Mass International Co. LLC  
P.O. Box 2204, PC-112, Ruwi  
Tel. +968 244 87268  
Tel. +968 244 87628  
Fax +968 244 89708  
Email: info@massinternational.om

## Palestine

International Elevators Group (IEG)  
P.O. Box 3816, Palestine  
Tel. +970 2 2403781 - 4  
Fax +970 2 2403785  
Email: info@ieg-ptal.com

## Qatar

Al Doha Schindler Elevators & Escalators  
Co.  
WLL 272 Office Bldg, Wholesale Market  
St.,  
Abu Hamour Area P.O. Box 22127, Doha  
Tel. +974 4 451 3801  
Fax +974 4 451 3805  
Email: info.qa@schindler.com

## Saudi Arabia


Schindler Olayan Elevator Co. Ltd.  
Kamal Adham H.Q. Bldg.  
Hail StreetALRuweis  
AL-Mabani Bldg. 2nd + 3rd Floors  
P.O. Box 1150, Jeddah 2143  
Tel. +9661 2 646 8600  
Fax +9661 2 651 2948  
Email: info.sa@schindler.com

## United Arab Emirates

Schindler for Elevators and Escalators  
L.L.C  
Ruby 2 Building, Umm Al Sheif, Sheikh  
Zayed Road, P.O. Box 115117, Dubai  
Tel. +971 4 376 0000  
Fax +971 4 380 5502  
Email: info.ae@schindler.com

## Schindler Middle East & North Africa HQ

Ruby 2 Building, Umm Al Sheif,  
SheikhZayed Road, P.O. Box 115117  
Dubai, United Arab Emirates  
Tel. +971 4 376 0000  
Fax +971 4 380 5502  
Email: info.mena@schindler.com



This publication is for general informational purposes only and we reserve the right at any time to alter the services, product design and specifications. No statement contained in this publication shall be construed as a warranty or condition, expressed or implied, as to any service or product, its specifications, its fitness for any particular purpose, merchantability, quality or shall be interpreted as a term or condition of any service or purchase agreement for the products or services contained in this publication. Minor differences between printed and actual colors may exist.

Released: March 2024