



Schindler Low Rise Traction Elevator Fixtures 3100, 3300, 3300 XL



We Elevate

Schindler

Low Rise Traction Elevator Fixtures

Standard fixtures

The features and components of the Schindler 3100, 3300, and 3300 XL machine room-less elevators are designed to enhance the rider experience, improve safety, and minimize downtime. From the low-energy multiprocessor controls to the stylish operating panels, you'll find the latest technological advances.

Standard car operating panel

- Stylish stainless steel and tempered safety glass
- Door open/close and alarm buttons
- Braille
- Visual and audible call confirmation
- Position indicator
- Concealed Phase II Firefighters Service operation
- Attractive, metallic-finished pushbutton

Signalizations on car operating panel



Overload protection:

Red scale-shaped icon, along with an adjustable buzzer, that provides prompting of some off-loading of passengers or items. The message is also presented as "OL" in the car floor indicator position.



Central alarm:

Yellow bell-shaped icon that is visible only if activated by an alarm request. The icon is also accompanied by the sounding of the car top buzzer.



Voice communication:

Green phone-shaped icon indicates that voice communication has been established.



Earthquake:

Red shaking building icon depicts that a seismic event has been detected.




Medical emergency service:

A blue/grey box with white lettering depicts that a medical emergency has been activated.



Evacuation:

Red cab-shaped icon that indicates that passengers should leave the cab.



Car operating panel

Note: Standard car operating panels are half-height and surface-mounted.


Low Rise Traction Elevator Fixtures

Standard fixtures

Stylish stainless steel with tempered safety glass accents give the elevator a contemporary, modern look while meeting all applicable codes. Please refer to our deco brochure for more information on decor and accessory options.



Hall pushbuttons



Combination landing indicator alternately showing landing or direction



Standard landing operating panels

- Stylish stainless steel with tempered safety glass accent, with pushbuttons
- Jamb mounted for fewer building interfaces
- Call acceptance both visual and audible
- Raised, tactile circle for positive contact assurance
- Metallic button finish.

Optional

- Wall-mounted car call buttons or landing indicator fixtures.

Note: The car specifications, options and colors in this brochure are representative only and are subject to change. Sample shown may vary from the original in color and materials.

Low Rise Traction Elevator Fixtures

Optional fixtures

In addition to the standard fixtures there is an optional fixture line offering a number of choices including vandal resistant hall and car fixtures as well as car operating panels designed for Schindler's Visual Communication System (VCS). The VCS car operating panel is available in both standard and vandal resistant.

Standard Landing Fixtures

Standard panels, available in white glass, give your elevator a contemporary look.



Car lantern



Vertical combination
hall lantern and
position indicator



Hall pushbuttons

Vandal-Resistant Landing Fixtures

Protect your investment: optional vandal-resistant fixtures are engineered to withstand even the most challenging environments.

Note: Vandal-resistant fixtures available only in wall-mounted configurations



Car lantern



Vertical combination
hall lantern and
position indicator



Hall pushbuttons



Car operating panel:
full-length, flush-mounted



Vandal-resistant
car operating panel:
full-length, flush-mounted



Vandal-resistant
car operating panel:
half-height, surface-mounted*

*Available for Schindler 3100 and Schindler 3300 only.

Low Rise Traction Elevator Fixtures

Optional fixtures



Schindler VCS
car operating panel:
full-length, flush-mounted,
black glass



Schindler VCS
car operating panel:
full-length, flush-mounted,
white glass



Auxiliary Schindler VCS
car operating panel:
full-length, flush-mounted,
white glass



Schindler VCS
car operating panel:
half-height, surface-
mounted, black glass*



Schindler VCS
car operating panel:
half-height, surface-
mounted, white glass*



Auxiliary Schindler VCS
car operating panel:
half-height, surface-
mounted, white glass*

*Available for Schindler 3100 and Schindler 3300 only.

Low Rise Traction Elevator Fixtures

Optional fixtures



Vandal-resistant Schindler VCS car operating panel: full-length, flush-mounted, black glass



Vandal-resistant Schindler VCS car operating panel: full-length, flush-mounted, white glass



Auxiliary vandal-resistant Schindler VCS car operating panel: full-length, flush-mounted, black glass



Auxiliary vandal-resistant Schindler VCS car operating panel: full-length, flush-mounted, white glass





Schindler – We Elevate

For more information, including the location of the Schindler office nearest you, please visit:

U.S. Headquarters. Morristown, New Jersey

Tel. 973.397.6500

www.schindler.com

Canada Headquarters. Toronto, Ontario

Tel. 416.332.8280

We Elevate



Schindler has received renewal to ISO 9001 and ISO 14001 certificates.

© Schindler Elevator Corporation