

Schindler 3300 MRL Traction Elevator

General Purpose Cab Details




Schindler 3300 MRL Traction Elevator


General Purpose Cab Details

Front opening


Left-hand door opening



Center door opening




Right-hand door opening




Front/rear opening


Left-hand door opening



Center door opening



Right-hand door opening



Dimensions


Capacity lbs (kg)	Door type	A Inside cab depth in (mm)	B Inside car width in (mm)	C Opening width in (mm)	D Inside cab front return in (mm)
2100 (950)	2SSO	52 ⁷ / ₈ " (1343)	69 ⁵ / ₁₆ " (1761)	36" (915)	29 ¹ / ₂ " (749)
2500 (1135)	2SSO	52 ⁷ / ₈ " (1343)	81 ⁵ / ₁₆ " (2066)	42" (1067)	35 ¹ / ₂ " (902)
	SSCO				19 ¹¹ / ₁₆ " (500)
3000 (1360)	2SSO	58 ⁷ / ₈ " (1495)	81 ⁵ / ₁₆ " (2066)	42" (1067)	35 ¹ / ₂ " (902)
	SSCO				19 ¹¹ / ₁₆ " (500)
3500 (1590)	2SSO	66 ⁷ / ₈ " (1699)	81 ⁵ / ₁₆ " (2066)	42" (1067)	35 ¹ / ₂ " (902)
	SSCO				19 ¹¹ / ₁₆ " (500)

Schindler 3300 MRL Traction Elevator


General Purpose Cab Details

Wall assembly


Side wall assembly
3000 lb./3500 lb.




Rear wall assembly
Front opening only



Ceiling view



Front view





Schindler – We Elevate

For more information, including the location of the Schindler office nearest you, please visit:

U.S. Headquarters. Morristown, New Jersey
Tel. 973.397.6500
www.us.schindler.com

Canada Headquarters. Toronto, Ontario
Tel. 416.332.8280
www.ca.schindler.com

We Elevate



Schindler has received renewal to ISO 9001 and ISO 14001 certificates.



Schindler prints with vegetable-based ink on paper containing post-consumer waste fiber.
© Schindler Elevator Corporation