


Schindler 5500 MRL Fixtures

Outfit your elevator with style

Make your elevator easy to operate for all passengers - helping them locate the elevator and get to their selected destination comfortably. High resolution indicators are easy to read, and energy-efficient operating panels are made from high-quality materials with beautiful finishing options.



Standard Landing Fixtures

Standard panels, available in white or black glass, give your elevator a contemporary look.



Vandal-Resistant Landing Fixtures***

Protect your investment: optional vandal-resistant fixtures are engineered to withstand even the most challenging environments.



*Swing return also available.

**Standard car lantern and vandal-resistant car lantern are identical.

***Vandal-resistant fixtures are available in brushed and mirrored stainless steel, as well as brushed bronze.


Schindler 5500 MRL Fixtures

Standard dimensions

Standard fixtures can be wall or jamb mounted.


Wall-mounted landing fixtures

Box cutout depth = 2 3/4" (70mm)




Jamb-mounted landing fixtures, flush in frame

Minimum jamb width = 4" (120mm)



Car operating panel



Note: Car operating panels available as full swing or flush mount. Card reader and service cabinet optional.

*Car operating panel width can be 11 7/8" (300mm) or 13 3/4" (350mm) depending on the number of buttons.

**Door heights are 7' (2134mm), 8' (2438mm), or 9' (2743mm). The dimensions shown are based on an 8' cab.



Schindler 5500 MRL Fixtures

Vandal-resistant dimensions


Vandal-resistant fixtures are wall mounted.

Vandal-resistant landing fixtures

Box Cutout Depth = 3.5" (89mm)



Vandal-resistant car operating panel



Note: Car operating panels available as full swing or flush mount. Card reader and service cabinet optional.
 *Car operating panel width can be 11 7/8" (300mm) or 13 3/4" (350mm) depending on the number of buttons.
 **Door heights are 7' (2134mm), 8' (2438mm), or 9' (2743mm). **



We Elevate... People

For more information, including the location
of the Schindler office nearest you, please visit:

U.S. Headquarters. Morristown, New Jersey
Tel. 973.397.6500
www.us.schindler.com

Canada Headquarters. Toronto, Ontario
Tel. 416.332.8280
www.ca.schindler.com

We Elevate



Schindler has received renewal to ISO 9001 and
ISO 14001 certificates.



Schindler prints with vegetable-based ink on
paper containing post-consumer waste fiber.
© Schindler Elevator Corporation